

SEALEY

INSTRUCTIONS FOR: HEADLIGHT RESTORATION KIT MODEL NO: HRK01

Thank you for purchasing a Sealey product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.

IMPORTANT: PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS & CAUTIONS. USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. KEEP THESE INSTRUCTIONS SAFE FOR FUTURE USE.



Refer to
instruction
manual



Wear eye
protection



Wear protective
gloves

1. SAFETY

- ✓ Wear eye protection and protective gloves; may cause eye and skin irritation.
- ✗ **DO NOT** use the product for a purpose for which it was not designed.
- ✗ Keep out of the reach of children.

2. INTRODUCTION

Three-stage headlight restoration kit. Restores clear plastic by removing scratches, haze and discolouration. Improves visibility and safety. One kit is intended to restore two headlight lenses.

3. CONTENTS

2 x P800 Sanding Discs	2 x 3ml Protection fluid
2 x P1200 Sanding Discs	1 x Masking Tape (300 x 2cm)
2 x P2000 Sanding Discs	1 x Backing Pad M10 thread
1 x Orange Sponge Disc	1 x Adaptor
2 x Polish Paste	1 x White Sponge Disc

4. INSTRUCTIONS

4.1. Preparation

- 4.1.1. Clean the headlight lens with water.
- 4.1.2. Mask off the area surrounding the lens to avoid scratches on adjacent paintwork.

4.2. Sanding

NOTE: sanding and polishing may be carried out either manually or by using a drill or polisher. Using a machine results in a better finish.

- 4.2.1. Wet the sanding disc and attach it to the backing pad.
- 4.2.2. Start with the coarsest (P800) disc and progress to the P1200 and P2000 discs until the lens discolouration is removed.

4.3. Polishing

- 4.3.1. Attach the orange sponge disc to the backing pad and apply the polish paste.
- 4.3.2. Polish the lens until the shine is restored to its original condition.
NOTE: If polishing by hand, polish with no less than 200 circular strokes in a clockwise direction.

4.4. Protection

- 4.4.1. Clean the headlight lens and ensure that it is dry.
- 4.4.2. Using the white sponge, apply the protection fluid to the surface of the lens.
NOTE: DO NOT apply the protection liquid in direct sunlight.
- 4.4.3. After application, leave for 10-15 minutes to allow the fluid to cover evenly.
- 4.4.4. Immediately after this time, allow to dry in the sun for 1 to 2 hours.
- 4.4.5. Keep the lens dry, **DO NOT** wash the vehicle for 24 hours.

ENVIRONMENT PROTECTION



Recycle unwanted materials instead of disposing of them as waste. All tools, accessories and packaging should be sorted, taken to a recycling centre and disposed of in a manner which is compatible with the environment. When the product becomes completely unserviceable and requires disposal, drain any fluids (if applicable) into approved containers and dispose of the product and fluids according to local regulations.

Note: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice.

Important: No Liability is accepted for incorrect use of this product.

Sealey Group, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk. IP32 7AR



01284 757500



01284 703534



sales@sealey.co.uk



www.sealey.co.uk